

"Deadband"

| | | |
|---|----------|---|
| 1 | | 1 |
| 2 | | 1 |
| 3 | Deadband | 2 |
| 4 | | 5 |
| 5 | | 6 |
| 6 | ? | 7 |
| 1 | | 7 |

1

Deadband - ("Advanced Serial Data Logger
 "). "Deadband" (, Advanced Serial Data Logger
 Advanced TCP/IP Data Logger) - , ,

"Deadband" ,

Excel " "

" " " :

2

Deadband :

- Windows 95;
- Windows 95 OSR2;
- Windows 98;
- Windows Me;
- Windows NT4;
- Windows 2000;
- Windows XP (all editions) (both x86 and x64);
- Windows 2003 Server (both x86 and x64);
- Windows Vista (both x86 and x64).

5 MB

(), Advanced Serial Data Logger.

Microsoft Vista:

Files, :

Program

1. ,
2. ;
3. Windows Vista .

Google.

3

Deadband


1. (, Advanced Serial Data Logger),
2. ;
3. ;
4. Windows;
5. " " ;

, " "


.1-2.

" "


" " - " "



.1.



.2.



.3.

4

Plug-in -

: Advanced Serial Data Logger

5

"Deadband" (.1).
 (8)
 " " (),
 " " / .
 " " " .

(AND)

" " (,)

(OR)

" " (,).

Deadband 3.2.0 build 1

Укажите одну или несколько переменных. Если используется несколько переменных с мертвой зоной, то укажите зависимость между ними. Модуль будет игнорировать любые значения в пределах мертвой зоны. Только при выходе за мертвую зону данные будут переданы в модуль экспорта данных.

Зависимость между переменными

Переменные с мертвой зоной

| | | |
|------------------|----------------------|-----------|
| DATA_PACKET | Абсолютное значение | 15,000000 |
| FULL_DATA_PACKET | Процентное отношение | 4,000000 |
| | | 0,000000 |
| | | 0,000000 |
| | | 0,000000 |
| | | 0,000000 |
| | | 0,000000 |
| | | 0,000000 |

OK Отмена

.1.

" "

:" , "%S"