

"Local Database"

| | | |
|----------|-----------------------|----------|
| 1 | | 1 |
| 2 | | 1 |
| 3 | Local Database | 2 |
| 4 | | 5 |
| 5 | | 6 |
| 1 | | 6 |
| 2 | | 6 |
| 3 | | 8 |
| 4 | | 8 |
| 6 | ? | 9 |
| 1 | | 9 |

1

"Local database"

: Microsoft Excel, RTF, HTML, CSV, DIFF, SYLK, Plain text, Windows Clipboard, XML, DBF, PDF, Lotus 1-2-3 Quttro.

Excel Microsoft

1.

2.

3.

4. (, , . .);

Microsoft Excel Microsoft Word.

2

Local Database :

- Windows 95;
- Windows 95 OSR2;
- Windows 98;
- Windows Me;
- Windows NT4;
- Windows 2000;
- Windows XP (all editions) (both x86 and x64);
- Windows 2003 Server (both x86 and x64);
- Windows Vista (both x86 and x64).

5 MB

(), Advanced Serial Data Logger.

Microsoft Vista:

Program

Files,

:

1.

,

2.

;

3. Windows Vista

.

.

.

-

Google.

3**Local Database**

1.

(, Advanced Serial Data Logger),

;

2.

;

3.

,

Windows;

4.

" ";

5.

,

"

"

,

.1-2.

" "

.

"


-

"


"

"


"



.1.



.2.



.3.

4

Plug-in -

: Advanced Serial Data Logger

- QuattroPro OLE – WQ1;
- SYLK (Symbolic Link) – SLK;
- DIF (Data Interchange Format) – DIF;
- [LDAP](#) – LDIF;
- SPSS – SAV;
- [DBase](#) (DBF)(BDE) – DBF;
- MS Windows – ;
- [HTML](#) – HTM;
- MS Access – MDB;
- Adobe Acrobat PDF – PDF.

255

#EE, # - ASCII , EE #09.

1. " " - ;

2. " , " - ;

3. " " - ;

XML

XML

XML".

" (), XML

Internet Explorer 5.0 XML.

XML, TClientDataset"
 XML, Borland Delphi 7+
 Borland C ++ Builder XML

XML

LDAP

DBase (DBF)

DBF - FoxPro dBase III.

HTML

HTML
 HTML
 <Body>

5.3

5.4

()

6

?

6.1

No data for publication –

Error on binding variable with name %s [%s] –

Error on items formation (%s) –

Unable to connect to %s. (%s) –

Unable to disconnect from %s. (%s) –

(,).

support@aggsoft.ru.

"%s"